

URBAN
SURFACES



INFINITI

3535 | MOISTURE PROTECTION



INFINITI

3535 | MOISTURE PROTECTION



Available In: 2 Gallons

NO TESTING REQUIRED

Infiniti™ lets you skip the RH, pH, and MVER testing to save valuable time on your project. With 100% moisture protection, you'll have more peace of mind.



INFINITI™
DETAILS

TOTAL AND PERMANENT MOISTURE LOCKOUT

- ✓ No VOC, Extremely Low Odor
- ✓ Free of Solvent and Isocyanate
- ✓ Contributes to LEED Certification
- ✓ No RH, pH, or MVER Testing Required
- ✓ Plasticizer Migration Resistance
- ✓ Alkali and pH Protection



**100% MOISTURE
PROTECTION**



**ANTIMICROBIAL,
ANTI-MOLD**



**NO TESTING
REQUIRED**

8 hrs
Cure Time

100%
RH Protection

CSP 1+
Porosity

5-14
pH (No Testing)


REQUIRED TOOL



V-Notch Trowel
For All Substrates
Coverage: ~ 90-120 sqft/gal

UNEQUALED MOISTURE CONTROL

Whether your flooring installation is Floating or GlueDown, Infiniti™ is ready to provide total moisture control. Our primer and encapsulator, Infuse™, provides the layer needed to bond Infiniti™ to Prism™ or Everlast™.



PERMANENT MOISTURE DEFENSE

TOTAL MOISTURE PROTECTION

Infiniti™ provides total and permanent moisture control, no matter what. Rest assured that, when you use Infiniti™, moisture issues will be a thing of the past.

READY FOR COMMERCIAL USE

Even in the presence of heavy foot traffic and heavy rolling loads, Infiniti™ is in control and unyielding.



EXPLORE ALL OF THE URBAN ESSENTIALS™

Start to finish, the Urban Essentials™ line contains everything needed for the perfect flooring installation.

(800) 492-8722 | Info@UrbanSurfaces.com | 2380 Railroad Street, Bldg 101, Corona, CA 92878